

**Intended Use**

- For the opaque dyeing of end caps and damaged areas in the window industry.
- For indoor and outdoor use.

**Characteristics**

- Acrylic-based metallic effect lacquer.
- Dries rapidly.
- Adhesion to end caps and other injection moulded components (ASA, PVC).
- Suitable to a limited extent for colour corrections on foiled window profiles.
- Limited PVC-resistance (window/door gaskets).
- **Not to be used to re-dye extruded plastics (UPVC window profiles).**
- Good lightfastness and weather resistance.

**Application Notes**

Shake can well before use and spray briefly to clear the valve. When banging of the mixing balls is audible – still shake at least for another 30 seconds. Repeat procedure during work process. Apply at room temperature. End caps must be clean and free of grease/silicone.

If necessary, apply several thin coats of lacquer to increase opacity. Respect drying time before fitting. Increased lacquer application will extend drying periods accordingly.

**Physical Properties and Shelf Life**

**Processing recommended:** at 18-25°C and 55-65% RH  
**Dust-dry:** after approx. 15-20 minutes  
**Touch-proof:** after approx. 30 minutes (dependent on room temperature and coat thickness)  
**Coverage:** approx. 60-80 end caps can be dyed with a 400 ml can  
**Light resistance:** good  
**Weather resistance:** good  
**Shelf life:** minimum 2 years (stored upright at room temperature, in unopened original container)

**Safety Precautions**

Please refer to label and material safety data sheet.

**Disposal**

- Dispose of König aerosol cans in accordance with legal requirements only, when completely empty. For further information, please ask your local waste industry office.
- Leftover material to be disposed of in accordance with EWC 150110 (packaging containing residues of or contaminated by dangerous substances).
- Heinrich König & Co. KG take care of the disposal of Sprüh-König aerosol cans, provided they are returned 'carriage paid' to the address stated below.

**Packaging**

On request.

*Further information and Material Safety Data Sheet on the internet at  
[www.heinrich-koenig.de](http://www.heinrich-koenig.de)*

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for his or her particular purpose(s).



Seit 1892®

**Heinrich König & Co. KG**

An der Rosenhelle 5 • D-61138 Niederdorfelden

Phone: 0 61 01-53 60 0 • Fax: 0 61 01-53 60 11

E-mail: [info@heinrich-koenig.de](mailto:info@heinrich-koenig.de)

Issue 29/16