

Intended Use

- For the repair of scratches, cracks, holes and dents on flat surfaces.
- For solid woods, veneers, foils and plastic surfaces.
- For surfaces that are not subject to severe use.
- Recommended for indoor use.

Characteristics

- Mixture of mineral waxes coloured with earth and oxide dyes.
- Easy to use.
- Colours can be intermixed.
- Only limited mechanical resistance.
- Only limited heat resistance.

Application Notes

Remove any loose or splintered parts and indent damaged edges. Cut damaged edges that are lighter than the base colour vertically downwards or precolour with König Touch-Up products. With solid wood and veneer, press damaged edges inwards round.

Take off only small amounts of wax from the wax stick using the tip of the Special Fillers Applicator and fill the wax into the damaged area.

Strip off excess wax with the Special Fillers Applicator (use serrated teeth on the flat surface and rounded teeth on edges).

Intermediate sealing with Special Repair Lacquer PLUS. Pores can be restored by slightly scratching (e.g. with an upholstery needle). Replicate the grain pattern with König Touch-Up materials, if necessary.

Use Special Repair Lacquer PLUS or Furniture Lacquer PLUS to seal and to protect the repaired area from dust and dirt and to adjust the sheen level, if necessary.

Instead of applying too heavy coats, apply 2-3 thin misty coats from a distance of 30-40cm.

Physical Properties and Shelf Life

Softening point:	66°C	(ISO 2207)
Dropping point:	74°C	(DIN 51801)
Mechanical stability:	limited, wax warps under high mechanical stress	
Overcoat:	with all König lacquers	
Adhesion:	good adhesion to all above substrates	
Shelf life:	unlimited (stored at room temperature, in unopened original container)	

Safety Precautions

- The mixture is classified as not hazardous according to regulation (EC) No. 1272/2008 [CLP].

Disposal

- No special disposal regulations to be observed. Can be disposed of with normal household waste.

Packaging

On request.

*Further information on the internet at
www.heinrich-koenig.de*

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for his or her particular purpose(s).



®
Seit 1892

Heinrich König; a Vc & Co. KG

An der Rosenhelle 5 • D-61138 Niederdorfelden

Phone: 0 61 01-53 60 0 • Fax: 0 61 01-53 60 11

E-mail: info@heinrich-koenig.de

2021.43